

		Applied Software Version		Date: 07/03/2024	 Kgotsiso MOKOANA Test Expert		Project: PRASA		
PRASA TEST AND COMISSIONING				BASELINE version: BL 10.3 M0		07/03/2024		Trainset 210	
Name		PU/Supplier	Applied Version	BASELINE Version		Who		Date	Remarks
TC1									
TC1 MCE		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version MPU1		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version DDU1		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version BCU		REI	2.4.2.1	2.4.2.1		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
Version HVAC SW		Thermoking	C11	C11		Kgमतso Nkoana		07/03/2024	
Version ACU SW		CLR RS	3.1.5	3.1.5		Kgमतso Nkoana		07/03/2024	
Version PACIS Media Database		VBN	4.1.5.0	4.1.5.0		Kgमतso Nkoana		07/03/2024	
Version SW Wiping System			SW 3E405047.P03	SW 3E405047.P03		Kgमतso Nkoana		07/03/2024	
Version BRI004/ BRI005 (EIP)		VBN	1.2	1.2		Kgमतso Nkoana		07/03/2024	
Version BRI004/ BRI005 (IAP)		VBN	1.2	1.2		Kgमतso Nkoana			
Version FDU SW		Zyteq	1.1.19	1.1.19		Kgमतso Nkoana		07/03/2024	
Version GSM-R		VBN	02.00.19	02.00.19		Kgमतso Nkoana		07/03/2024	
Version UHF		Gib	tbc	tbc		N/A		N/A	Supplier provided in agreement with Transnet
M4									
Version TBCU		SES	12.0.1.0	12.0.1.0		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
Version HVAC SW		Thermoking	C11	C11		Kgमतso Nkoana		07/03/2024	
Version PRASA EPC- SW (Brakes)		Wabtec	01.00.00.00	01.00.00.00		N/A		07/03/2024	
Version BRI001 (EIP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
Version BRI001 (IAP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
M1									
Version TBCU		SES	12.0.1.0	12.0.1.0		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
Version HVAC SW		Thermoking	C11	C11		Kgमतso Nkoana		07/03/2024	
Version PRASA EPC- SW (Brakes)		Wabtec	01.00.00.00	01.00.00.00		N/A		N/A	
Version NETBOX		VBN	6.2.1.8	6.2.1.8		Kgमतso Nkoana		07/03/2024	
Version BRI001 (EIP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
Version BRI001 (IAP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
M2									
Version TBCU		SES	12.0.1.0	12.0.1.0		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
Version HVAC SW		Thermoking	C11	C11		Kgमतso Nkoana		07/03/2024	
Version PRASA EPC- SW (Brakes)		Wabtec	01.00.00.00	01.00.00.00		N/A		N/A	
Version MBX SW		VBN	8.12.2	8.12.2		N/A		N/A	
Version BRI001 (EIP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
Version BRI001 (IAP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
Version ERTMS SW		CLR TIS	2.6.8	2.6.8		Kgमतso Nkoana		07/03/2024	
M3									
Version TBCU		SES	12.0.1.0	12.0.1.0		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
Version HVAC SW		Thermoking	C11	C11		Kgमतso Nkoana		07/03/2024	
Version PRASA EPC- SW (Brakes)		Wabtec	01.00.00.00	01.00.00.00		N/A		N/A	
Version BRI001 (EIP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
Version BRI001 (IAP)		VBN	1.6	1.6		Kgमतso Nkoana		07/03/2024	
TC2									
TC2 MCE		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version MPU2		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version DDU2		REI	2.0.1.3	2.0.1.3		Kgमतso Nkoana		07/03/2024	
Version BCU		REI	2.4.2.1	2.4.2.1		Kgमतso Nkoana		07/03/2024	
Version CPM		VBN	01.02	01.02		Kgमतso Nkoana		07/03/2024	
Version OTDR		VBN	1.1.0.0	1.1.0.0		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR6 Version DCU Software		IFE	DDASE21064501V01_04	DDASE21064501V01_04		Kgमतso Nkoana		07/03/2024	
DOR1 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR2 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR3 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR4 Version DCU Firmware		Duagon	d-009535-039480	d-009535-039480		Kgमतso Nkoana		07/03/2024	
DOR5 Version DCU Firmware		Du							